

DNSSEC Practice Statement for the .BLOG Generic Top-Level Domain

Abstract

This document is a statement of security practices and provisions which are applied to the administration and operation of DNS Security Extensions (DNSSEC) in the .BLOG Top-Level Domain.

Copyright Notice

Copyright 2015 by Nominet. All Rights Reserved.

Table of Contents

- 1. INTRODUCTION 5
 - 1.1. Overview 5
 - 1.2. Document name and identification 5
 - 1.3. Community and Applicability 5
 - 1.4. Specification Administration 5
 - 1.4.1. Specification administration organization 5
 - 1.4.2. Contact Information 5
 - 1.4.3. Specification change procedures 6
- 2. PUBLICATION AND REPOSITORIES 6
 - 2.1. Repositories 6
 - 2.2. Publication of key signing keys 6
- 3. OPERATIONAL REQUIREMENTS 6
 - 3.1. Meaning of domain names 6
 - 3.2. Activation of DNSSEC for child zone 6
 - 3.3. Identification and authentication of child zone manager . 6
 - 3.4. Registration of delegation signer (DS) resource records . 7
 - 3.5. Method to prove possession of private key 7
 - 3.6. Removal of DS resource records 7
 - 3.6.1. Who can request removal 7
 - 3.6.2. Procedure for removal request 7
 - 3.6.3. Emergency removal request 7
- 4. FACILITY, MANAGEMENT AND OPERATIONAL CONTROLS 7
 - 4.1. Physical Controls 7
 - 4.1.1. Site location and construction 7
 - 4.1.2. Physical access 7
 - 4.1.3. Power and air conditioning 8
 - 4.1.4. Water exposures 8
 - 4.1.5. Fire prevention and protection 8
 - 4.1.6. Media storage 8
 - 4.1.7. Waste disposal 8
 - 4.1.8. Off-site backup 8
 - 4.2. Procedural Controls 8
 - 4.2.1. Trusted roles 8
 - 4.2.2. Number of persons required per task 9
 - 4.2.3. Identification and authentication for each role . . . 9
 - 4.2.4. Tasks requiring separation of duties 9
 - 4.3. Personnel Controls 9
 - 4.3.1. Qualifications, experience, and clearance requirements 9
 - 4.3.2. Background check procedures 10
 - 4.3.3. Training requirements 10
 - 4.3.4. Job rotation frequency and sequence 10
 - 4.3.5. Sanctions for unauthorized actions 10
 - 4.3.6. Contracting personnel requirements 10
 - 4.3.7. Documentation supplied to personnel 10
 - 4.4. Audit Logging Procedures 10

- 4.4.1. Types of events recorded 10
- 4.4.2. Frequency of processing log 10
- 4.4.3. Retention period for audit log information 11
- 4.4.4. Protection of audit log 11
- 4.4.5. Audit log backup procedures 11
- 4.4.6. Audit collection system 11
- 4.4.7. Notification to event-causing subject 11
- 4.4.8. Vulnerability assessments 11
- 4.5. Compromise and Disaster Recovery 11
 - 4.5.1. Incident and compromise handling procedures 11
 - 4.5.2. Corrupted computing resources, software, and/or data 12
 - 4.5.3. Entity private key compromise procedures 12
 - 4.5.4. Business Continuity and IT Disaster Recovery Capabilities 12
- 4.6. Entity termination 13
- 5. TECHNICAL SECURITY CONTROLS 13
 - 5.1. Key Pair Generation and Installation 13
 - 5.1.1. Key pair generation 13
 - 5.1.2. Public key delivery 13
 - 5.1.3. Public key parameters generation and quality checking 13
 - 5.1.4. Key usage purposes 13
 - 5.2. Private key protection and Cryptographic Module Engineering Controls 13
 - 5.2.1. Cryptographic module standards and controls 13
 - 5.2.2. Private key (m-of-n) multi-person control 13
 - 5.2.3. Private key escrow 14
 - 5.2.4. Private key backup 14
 - 5.2.5. Private key storage on cryptographic module 14
 - 5.2.6. Private key archival 14
 - 5.2.7. Private key transfer into or from a cryptographic module 14
 - 5.2.8. Method of activating private key 14
 - 5.2.9. Method of deactivating private key 14
 - 5.2.10. Method of destroying private key 15
 - 5.3. Other Aspects of Key Pair Management 15
 - 5.3.1. Public key archival 15
 - 5.3.2. Key usage periods 15
 - 5.4. Activation data 15
 - 5.4.1. Activation data generation and installation 15
 - 5.4.2. Activation data protection 15
 - 5.4.3. Other aspects of activation data 15
 - 5.5. Computer Security Controls 15
 - 5.6. Network Security Controls 16
 - 5.7. Timestamping 16
 - 5.8. Life Cycle Technical Controls 16
 - 5.8.1. System development controls 16

- 5.8.2. Security management controls 16
- 5.8.3. Life cycle security controls 16
- 6. ZONE SIGNING 16
 - 6.1. Key lengths and algorithms 16
 - 6.2. Authenticated denial of existence 17
 - 6.3. Signature format 17
 - 6.4. Key roll-over 17
 - 6.5. Signature life-time and re-signing frequency 17
 - 6.6. Verification of zone signing key set 17
 - 6.7. Verification of resource records 17
 - 6.8. Resource records time-to-live 18
- 7. COMPLIANCE AUDIT 18
 - 7.1. Frequency of entity compliance audit 18
 - 7.2. Identity/qualifications of auditor 18
 - 7.3. Auditor's relationship to audited party 18
 - 7.4. Topics covered by audit 18
 - 7.5. Actions taken as a result of deficiency 18
 - 7.6. Communication of results 18
- 8. LEGAL MATTERS 19
- 9. References 19
 - 9.1. Normative References 19
 - 9.2. Informative References 19
- Appendix A. Table of acronyms and definitions 19
 - A.1. Acronyms 20
 - A.2. Definitions 21
- Appendix B. History of changes 23
- Author's Address 23

1. INTRODUCTION

This document is the DNSSEC Practice Statement (DPS) for the BLOG zone. It states the practices and provisions that are employed in providing BLOG Zone Signing.

1.1. Overview

The Domain Name System Security Extensions (DNSSEC) is a set of IETF specifications for adding origin authentication and data integrity to the Domain Name System (DNS). DNSSEC provides a way for software to validate that Domain Name System data have not been modified during transit. This is accomplished by adding digital signatures into the DNS hierarchy to form a chain of trust between the internet root and domain names.

This DPS is specifically applicable to all DNSSEC related operations performed by Nominet for the BLOG zone.

1.2. Document name and identification

Document title:

Nominet DNSSEC Practice Statement for the .BLOG zone

Version:

1.0

Date:

Fri, 22 Jun 2015

1.3. Community and Applicability

This DPS is applicable to the DNSSEC operations of the .BLOG gTLD.

1.4. Specification Administration

1.4.1. Specification administration organization

Nominet
Minerva House
Edmund Halley Road
Oxford Science Park
Oxford
OX4 4DQ
United Kingdom

1.4.2. Contact Information

For questions regarding this DPS or the operations of DNSSEC in the .BLOG gTLD:

Telephone: +44(0)1865 332244 (Lines open 8am - 6pm)
Email: nominet@nominet.org.uk

1.4.3. Specification change procedures

Nominet reserves the right to change, amend or revoke this DPS without prior notice. Material changes will be announced on the Nominet website.

2. PUBLICATION AND REPOSITORIES

2.1. Repositories

Information relating to the DNSSEC operations of the .BLOG gTLD are published at:

<http://www.nominet.org.uk/tech/dnssec>

2.2. Publication of key signing keys

A cryptographic hash of the public portion of the BLOG KSK will be published in the root zone.

3. OPERATIONAL REQUIREMENTS

3.1. Meaning of domain names

DNSSEC provides mechanisms for adding origin authentication and data integrity to the Domain Name System (DNS). DNSSEC provides a way for software to validate that Domain Name System data have not been modified during transit. It does NOT provide any way of determining the legal entity behind of the domain name, nor the relevance of the domain name.

3.2. Activation of DNSSEC for child zone

DNSSEC for a child zone is activated when a DS record is published in the BLOG zone.

3.3. Identification and authentication of child zone manager

Nominet does not perform any verification of the identity and authority of the child zone manager as it only applies changes received from Registrars.

3.4. Registration of delegation signer (DS) resource records

Nominet applies changes to the BLOG zone file based on requests from Registrars.

3.5. Method to prove possession of private key

Registrars are not required to present proof of possession of private keys.

3.6. Removal of DS resource records

3.6.1. Who can request removal

The removal of DS records can only be requested by the Registrar.

3.6.2. Procedure for removal request

A removal request is received, validated and processed automatically, as is any other request from the Registrar.

3.6.3. Emergency removal request

Nominet offers Registrars out of hours emergency support, which can help should any requests fail to process automatically.

4. FACILITY, MANAGEMENT AND OPERATIONAL CONTROLS

4.1. Physical Controls

4.1.1. Site location and construction

Operations centres used for TLD operations, including the DNSSEC key management, have at least 4 tiers of physical security, each tier with progressively more restrictive access policy.

The two main operation centres are currently separated by at least 14 miles.

4.1.2. Physical access

Physical access requires two-factor authentication. Personnel with access to the innermost tier does not have access on their own to the outer tiers, but must be escorted. To reach into all tiers, dual-access is required with at least one person from each of the roles SA and SO.

4.1.3. Power and air conditioning

Each operation centre has air conditioning, UPS based backup power and a diesel generator.

4.1.4. Water exposures

Nominet has taken reasonable precautions to minimize the impact of water exposure to our systems.

4.1.5. Fire prevention and protection

Nominet has taken reasonable precautions to prevent and extinguish fires or other damaging exposure to flame or smoke.

4.1.6. Media storage

Media containing production software, as well as media containing data, audit, archive, and backup information is stored within the main Nominet facility and in a secure off-site storage facility with appropriate physical and logical access controls designed to limit access to authorized personnel.

4.1.7. Waste disposal

All information-carrying media which may contain internal or confidential information are destroyed following a Standard Operating Procedure.

This includes hard-drives, flash storage devices, HSM's etc.

4.1.8. Off-site backup

Audit information is routinely and regularly replicated between and stored at both operation facilities.

4.2. Procedural Controls

4.2.1. Trusted roles

There are four trusted roles;

- (1) System Administrator (SA).
- (2) Security Officer (SO).

- (3) Auditor (AU).
- (4) Safe Keeper (SK).

All roles are tightly bound to the Nominet Hierarchy. The Security Officer (SO) role is performed by a member of the Senior Management Team. The Auditor (AU) role is performed by an employee that is appointed by the Senior Management Team. The Safe keeper is the CEO, or someone delegated by the CEO.

Procedures requiring management of the hardware security modules require credentials held by the Security Officer. Access to the systems containing the hardware security modules require credentials held by the System Administrators. When access to the safe is required, the safe keeper becomes involved.

4.2.2. Number of persons required per task

To activate the security module and to perform any key operations, a security officer, a systems administrator and an auditor is required.

To re-instate a security module, the safe keeper, security officer, systems administrator and auditor is required.

4.2.3. Identification and authentication for each role

Personnel in trusted roles are prior to the assignment of their credentials (for logical access) identified to another trusted person.

4.2.4. Tasks requiring separation of duties

Physical access to the safe and hence enabling of the HSM requires one person from each trusted role (SO/SA).

The responsibility for protection of the private key during key distribution is required to be split over at least two different roles.

4.3. Personnel Controls

4.3.1. Qualifications, experience, and clearance requirements

All personnel participating in the operation of DNSSEC systems have demonstrated proficiency in their assigned role and have undergone training.

4.3.2. Background check procedures

Nominet will routinely check job references and interview past employers upon hiring of new employees to verify dependability.

4.3.3. Training requirements

Nominet provides employees and contractors with on-the-job training on the procedures, processes and administration of the DNSSEC system.

4.3.4. Job rotation frequency and sequence

All personnel assigned to trusted roles will be exercised in their roles by rotating all planned operational activities among the trusted persons.

4.3.5. Sanctions for unauthorized actions

In the event that Nominet suspects unauthorized actions by a trusted person, this persons credentials will immediately be suspended awaiting an investigation.

4.3.6. Contracting personnel requirements

All contracted personnel adhere to the same requirements as employees.

4.3.7. Documentation supplied to personnel

All Standard Operating Procedures (SOP's) are documented and supplied to the personnel responsible for executing them.

4.4. Audit Logging Procedures

4.4.1. Types of events recorded

Events to be recorded in the audit log includes, but are not limited to:

- o Physical entry into the operations facility,
- o Changes in physical and logical authorisations,
- o Key management activities.

4.4.2. Frequency of processing log

Events listed before are processed continuously and automatically.

4.4.3. Retention period for audit log information

Audit log information are retained for at least as long as it is needed to fulfil the audit requirements of section 7.

4.4.4. Protection of audit log

Off-line audit log information are physically protected in a secure offsite facility.

4.4.5. Audit log backup procedures

Audit logs are backed up to off-line storage on a weekly basis.

4.4.6. Audit collection system

Audit logs are replicated in real time to at least two physically and logically separate log collection systems. Only authorised system administrators (SA) have access to these systems.

4.4.7. Notification to event-causing subject

Personnel responsible for operations and personnel in trusted roles are informed that event logging is being performed. No other notice is given.

4.4.8. Vulnerability assessments

Nominet continuously monitors and evaluates information sources relating to cryptographic and mathematical achievements, security and vulnerability reports from vendors and community groups, and collaborates with other TLD operators in evaluating the domain name system environment.

In addition, all systems are monitored on a 24/7 basis for disruptions and unexpected events.

4.5. Compromise and Disaster Recovery

4.5.1. Incident and compromise handling procedures

If Nominet detects an event that has or could have caused a security compromise of any of the security mechanisms, the incident handling procedures are activated. These procedures includes how incidents are to be investigated, acted upon, reported to the stakeholders and actions to avoid the incident from reoccurring.

4.5.2. Corrupted computing resources, software, and/or data

Nominet's signer system implements automatic controls which is designed to ensure that invalid, incomplete or otherwise corrupted data will never be published to the authoritative slave servers. The system is designed to halt operations and to alert the administrators to investigate the anomaly and optionally switch to the fail-over facility.

In any case where corrupted computing resources, software, and/or data causes, or could have caused a disruption of operations which could/would not be recovered from using the normal fail-over procedures, that event will be viewed upon as an incident, and the incident handling procedures will be activated.

4.5.3. Entity private key compromise procedures

4.5.3.1. Key Signing Key compromise

If a KSK is suspected to be compromised, an investigation will commence determining the severity of the event. In the event the confidentiality of the KSK can not be guaranteed the KSK roll-over procedure will be enacted. Depending on the severity of the situation, the emergency KSK roll-over procedure may be enacted, which will complete within 96 hours. In other cases, the roll-over procedure will complete within 5 working days.

4.5.3.2. Key Signing Key loss

If a KSK is lost the standard KSK roll-over procedure will be enacted.

4.5.3.3. Zone Signing Key Compromise

If a ZSK is suspected to be compromised an investigation will commence determining the severity of the event. In the event the confidentiality of the ZSK can not be guaranteed the ZSK roll-over procedure will be initiated and completed within 3 working days.

4.5.4. Business Continuity and IT Disaster Recovery Capabilities

Nominet maintains business continuity and disaster recovery capabilities, where normal operations can be moved to the alternative site.

Critical administrative functions can be re-established in arbitrary office spaces using remote access technology.

4.6. Entity termination

In the event the responsibilities of the .BLOG gTLD are transferred to another party, Nominet will co-operate to facilitate a KSK roll-over to the new party.

5. TECHNICAL SECURITY CONTROLS

5.1. Key Pair Generation and Installation

5.1.1. Key pair generation

Key generation will occur in pre-planned form using Standard Operating Procedures.

5.1.2. Public key delivery

The hash of the public key will be delivered to IANA using the method mandated from time to time. No other publication of public keys will be made.

5.1.3. Public key parameters generation and quality checking

Key generation is performed using hardware security modules (HSM's) validated to the requirements of FIPS 140-2 level 3, which includes requirements for secure key generation and quality checking of parameters.

5.1.4. Key usage purposes

The keys used for signing the .BLOG gTLD will not be used for any other purpose, or outside of the signer system.

5.2. Private key protection and Cryptographic Module Engineering Controls

5.2.1. Cryptographic module standards and controls

Nominet uses hardware security modules (HSM's) validated to the requirements of FIPS 140-2 level 3.

5.2.2. Private key (m-of-n) multi-person control

M-of-N multiperson control of private keys are not implemented.

5.2.3. Private key escrow

Private keys are not escrowed.

5.2.4. Private key backup

The key storage file is encrypted using a password shared among the Security Officers. The key storage files are distributed between the two operations centres, where it is installed in the HSM system. In each operations centre there are also at least one off-line backup of the key store.

The SA role is responsible for maintaining the chain of custody of the key storage file during transport between the operation centres.

Backup media are stored within the secure container of the innermost tier.

5.2.5. Private key storage on cryptographic module

Keys are stored on disk in the signer systems, encrypted with a master-key stored within the protected memory of the HSM.

Storage of private keys outside of the protected memory of the HSM will always be encrypted.

5.2.6. Private key archival

Private keys which have reached the expired state will be deleted and are not archived.

5.2.7. Private key transfer into or from a cryptographic module

Private keys are distributed using the same method as backup/restore, which is based off an encrypted backup of the key store.

5.2.8. Method of activating private key

Private keys are activated using one of the Security Officers passwords.

5.2.9. Method of deactivating private key

Private keys will be deactivated when the HSM is shut down or loses power.

5.2.10. Method of destroying private key

Keys that have entered the expired state will be removed from the key storage file at the earliest convenient occasion at each site.

5.3. Other Aspects of Key Pair Management

5.3.1. Public key archival

Public keys are not archived after their operational period has expired.

5.3.2. Key usage periods

When a key has been rolled over and superseded with a new key, it enters its expired state. A key moved into the expired state will never be re-used to sign resource records or for any other purpose.

5.4. Activation data

5.4.1. Activation data generation and installation

The HSM's are activated by the Security Officer, using individual passwords, selected by the SO according to the following complexity requirements:

- (1) At least 6 characters,
- (2) containing at least 3 alphabetic and 1 nonalphabetic character.

5.4.2. Activation data protection

Security Officers are required to memorise their respective activation data and to not expose or share it with others.

5.4.3. Other aspects of activation data

The security module implements mechanisms to counter password guessing attacks.

5.5. Computer Security Controls

Nominet uses a standardised server platform for all critical components. Systems are continuously monitored for security and stability issues and accounts and authorisations are centrally managed.

5.6. Network Security Controls

Nominet's production servers are logically separated into security zones using filtering devices. Filters are configured according to the least-privilege principle allowing only the necessary communication paths to flow over the filtering device.

During master key management operations, systems are always disconnected from any communications network.

5.7. Timestamping

All systems synchronises time from a trusted internal source using NTP.

5.8. Life Cycle Technical Controls

5.8.1. System development controls

No software components critical to the operations of the BLOG zone are internally developed by Nominet.

5.8.2. Security management controls

Configuration of all systems are centrally managed and revision controlled. The authenticity and integrity of software components are verified using digital signatures before being installed onto the server platform.

5.8.3. Life cycle security controls

Critical software components are either sourced from suppliers using a procurement process, or based on open-source products.

For each of these categories of products there is a Quality Assurance (QA) process which includes rigorous testing and continuous follow-up of any stability or security issues uncovered during the products life-cycle.

6. ZONE SIGNING

6.1. Key lengths and algorithms

The .BLOG KSK key pair(s) is a RSA key pair, with a modulus size of 2048 bits.

The .BLOG ZSK key pair(s) is a RSA key pair, with a modulus size of

1024 bits.

6.2. Authenticated denial of existence

Authenticated denial of existence will be provided through the use of NSEC3 resource records as specified in [RFC5155].

The NSEC3 resource records are hashed using SHA-1, 0 (zero) iterations and no salt.

6.3. Signature format

The KSK signatures will be generated by encrypting SHA-256 hashes using RSA [RFC5702].

6.4. Key roll-over

The ZSK will be rolled over to a new key every 6 months. No standby keys are used.

The KSK will be rolled over to a new key every 3 years or when required. No standby keys are used, and the roll-over process will not take into account the timings specified in [RFC5011].

6.5. Signature life-time and re-signing frequency

Signatures will have a 14 days validity, with 1 hour inception and no jitter applied to the signature life-time.

6.6. Verification of zone signing key set

Zone signing keys are generated, signed and maintained within the same signer system.

6.7. Verification of resource records

The resource records to be signed are authenticated to be from a trusted source using cryptographic signatures.

6.8. Resource records time-to-live

```

+-----+-----+
| RRtype | TTL           |
+-----+-----+
| DNSKEY | 1 Hour        |
| NSEC3  | 48 Hours      |
| DS     | 1 Hour        |
| RRSIG  | as covered RR |
+-----+-----+
    
```

7. COMPLIANCE AUDIT

7.1. Frequency of entity compliance audit

Internal compliance audit are performed annually.

7.2. Identity/qualifications of auditor

The assessor will be proficient in DNS and DNSSEC technology, as well as information security management and auditing practices.

7.3. Auditor's relationship to audited party

Auditors can be selected from internal resources which does not currently hold a part as a trusted person in the DNSSEC operations, or may be sourced as a contractor from an external party.

7.4. Topics covered by audit

Assessments will be made using the current version of the DPS as the basis.

7.5. Actions taken as a result of deficiency

If discrepancies are discovered during audit, these are communicated directly to the management of operations and the security co-ordinator of Nominet, which will determine the severity of the discrepancy and form an action plan for correcting the cause.

7.6. Communication of results

The results of any audits will be only be internal to Nominet. No further communication of any auditing reports will be made.

8. LEGAL MATTERS

The Registry operates within the jurisdiction of England and Wales.

9. References

9.1. Normative References

- [RFC4034] Arends, R., Austein, R., Larson, M., Massey, D., and S. Rose, "Resource Records for the DNS Security Extensions", RFC 4034, March 2005.
- [RFC5011] StJohns, M., "Automated Updates of DNS Security (DNSSEC) Trust Anchors", STD 74, RFC 5011, September 2007.
- [RFC5155] Laurie, B., Sisson, G., Arends, R., and D. Blacka, "DNS Security (DNSSEC) Hashed Authenticated Denial of Existence", RFC 5155, March 2008.
- [RFC5702] Jansen, J., "Use of SHA-2 Algorithms with RSA in DNSKEY and RRSIG Resource Records for DNSSEC", RFC 5702, October 2009.

9.2. Informative References

- [RFC4033] Arends, R., Austein, R., Larson, M., Massey, D., and S. Rose, "DNS Security Introduction and Requirements", RFC 4033, March 2005.
- [RFC4035] Arends, R., Austein, R., Larson, M., Massey, D., and S. Rose, "Protocol Modifications for the DNS Security Extensions", RFC 4035, March 2005.

Appendix A. Table of acronyms and definitions

A.1. Acronyms

Term	Definition
AD	Authenticated Data Flag
BIND	Berkley Internet Name Domain
CC	Common Criteria
CD	Checking Disabled
DNS	Domain Name System
DNSKEY	Domain Name System Key
DNSSEC	Domain Name System Security Extensions
DO	DNSSEC OK
DPS	DNSSEC Practices Statement
DS	Delegation Signer
EAL	Evaluation Assurance Level (pursuant to the Common Criteria)
FIPS	Federal Information Processing Standards
HSM	Hardware Security Module
IANA	Internet Assigned Numbers Authority
IETF	Internet Engineering Task Force
ISO	International Organization for Standardization
NS	Name Server
NSEC	NextSecure
NSEC3	Hashed NextSecure
PKI	Public Key Infrastructure
PMA	Policy Management Authority
RFC	Request for Comments
RRSIG	Resource Record Signature
SEP	Secure Entry Point
SHA	Secure Hash Algorithm
SOA	Start of Authority
TA	Trust Anchor
TLD	Top Level Domain
TSIG	Transaction Signature
TTL	Time To Live

A.2. Definitions

Term	Definition
Chain of Trust	DNS keys, signatures, and delegation signer records that, when validated in a series, can provide proof of authenticity of the last element in the chain using the first element in the chain. Usually, the first element is a trust anchor.
Compromise	A violation (or suspected violation) of a security policy, in which an unauthorized disclosure of, or loss of control over, sensitive information may have occurred. With respect to private keys, a compromise is a loss, theft, disclosure, modification, unauthorized use, or other compromise of the security of such private key.
Compliance Audit	A periodic review that an entity undergoes to determine its conformance with standards that apply to it.
Delegation Signer (DS)	Delegation Signer is one of the resource records indicating that the delegated zone is digitally signed. It also assures that the parent zone recognizes the indicated key for the delegated zone. Refer to [RFC4034] for the formal definition.
Hardware Security Module (HSM)	A type of secure cryptoprocessor aimed at managing cryptographic keys and cryptographic operations while providing physical protection of the private keying material through mechanisms to detect and protect against tampering.
Key Generation Ceremony	A procedure whereby a key pair is generated, its private key is transferred into a cryptographic module, its private key is backed up, and/or key sets are signed.
Key Signing Key (KSK) Management Review	A key that signs the key set.
Offline HSM	Compliance Audit of the entity or as part of the overall risk management process in the ordinary course of business.
	HSMs that are maintained offline for security reasons in order to protect them from possible attacks by intruders by way of the network. These HSMs do not directly sign.

Online HSM	HSMs that sign the Zone file under the Zone Signing Key are maintained online so as to provide continuous signing services.
Parent Zone	The zone that is one level higher in the DNS hierarchy.
Policy Management Authority (PMA)	The office within NOMINET responsible for promulgating the DPS.
Public Key Infrastructure	The architecture, organization, techniques, practices, and procedures that collectively support the implementation and operation of a public key cryptographic system.
Repository	DNSSEC-related information made accessible online.
Resource Record Signature (RRSIG)	Signature data in a zone. Refer to [RFC4035] for the formal definition.
RSA	A public key cryptographic system invented by Ron Rivest, Adi Shamir, and Leonard Adleman.
Root Zone Management System (RZMS)	A system used to automate the Root Zone update process.
Secret Share	A portion of a private key or a portion of the activation data needed to operate a private key under a Secret Sharing arrangement.
Trust Anchor	A trust anchor is an authoritative entity represented via a public key. A validating security-aware resolver uses this public key as a starting point for building the authentication chain to a signed DNS response. Refer to [RFC4033] for the formal definition of a trust anchor in the context of DNSSEC.
Trusted Role	A role within the DNSSEC operations that must be held by a Trusted Person.
Trusted Person	Personnel assigned to a Trusted Role.
Trusted Status	Trusted Status is achieved by a person who has successfully completed the screening requirements for Trusted Roles set out in this DPS.
Trustworthy System	Computer system in which hardware, software, and operational procedures provide a reasonable (1) security against intrusion, misuse, unauthorized access, (2) degree of availability, and (3) adherence to accepted security practices.
Zone	A boundary of responsibility for each domain.

Zone Signing	A key that signs the Root Zone	
Key (ZSK)		
+-----+-----+-----+		

Appendix B. History of changes

+-----+-----+	
Section	Description
+-----+-----+	
Creation of first Edition	N/A
+-----+-----+	

Author's Address

Nominet